

| L Number | Hits | Search Text | DB | Time stamp |
|----------|-------|--|---|------------------|
| - | 6633 | (MAC OR (media ADJ1 access ADJ1 control\$1)) WITH address\$3 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/02/25 08:24 |
| - | 15 | ((MAC OR (media ADJ1 access ADJ1 control\$1)) WITH address\$3) SAME ((re\$1use\$1 OR re\$1using) NEAR3 (address\$3 OR MAC\$1)) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/02/24 18:27 |
| - | 7132 | freeman.in. | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/02/24 17:55 |
| - | 11 | freeman.in. AND ((MAC OR (media ADJ1 access ADJ1 control\$1)) WITH address\$3) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/02/24 17:55 |
| - | 4 | ((MAC OR (media ADJ1 access ADJ1 control\$1)) WITH address\$3) AND ((internal ADJ1 use\$1) OR internal\$1use\$1) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/02/24 17:58 |
| - | 224 | ((MAC OR (media ADJ1 access ADJ1 control\$1)) WITH address\$3) SAME ((duplicat\$5 OR copy\$3 OR mirror\$3 OR replica\$6) NEAR3 (address\$3 OR MAC\$1)) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/02/24 18:03 |
| - | 117 | ((intra ADJ1 switch\$3) OR intra\$1switch\$3 OR ISR) NEAR3 address\$3 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/02/24 19:05 |
| - | 32989 | (address\$3 NEAR2 (assign\$3 OR allocat\$4 OR reserv\$7)) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/02/25 09:29 |
| - | 28226 | (private\$1 OR local\$4 OR internal\$1 OR inside\$1 OR inward\$1 OR interior\$1 OR public\$1 OR outside\$1 OR outward\$1 OR inter\$1switch OR intra\$1switch) NEAR2 address\$3 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/02/25 10:02 |
| - | 5888 | ((address\$3 NEAR2 (assign\$3 OR allocat\$4 OR reserv\$7))) AND ((private\$1 OR local\$4 OR internal\$1 OR inside\$1 OR inward\$1 OR interior\$1 OR public\$1 OR outside\$1 OR outward\$1 OR inter\$1switch OR intra\$1switch) NEAR2 address\$3) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/02/25 08:21 |
| - | 2028 | ((address\$3 NEAR2 (assign\$3 OR allocat\$4 OR reserv\$7))) SAME ((private\$1 OR local\$4 OR internal\$1 OR inside\$1 OR inward\$1 OR interior\$1 OR public\$1 OR outside\$1 OR outward\$1 OR inter\$1switch OR intra\$1switch) NEAR2 address\$3) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/02/25 08:21 |
| - | 772 | ((address\$3 NEAR2 (assign\$3 OR allocat\$4 OR reserv\$7))) SAME ((private\$1 OR local\$4 OR internal\$1 OR inside\$1 OR inward\$1 OR interior\$1 OR public\$1 OR outside\$1 OR outward\$1 OR inter\$1switch OR intra\$1switch) NEAR2 address\$3) AND (370/\$6.ccls. OR 709/\$6.ccls.) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/02/25 08:22 |
| - | 18158 | (MAC OR (media ADJ1 access ADJ1 control\$1) OR manufactur\$4) WITH address\$3 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/02/25 08:25 |

| | | | | |
|---|-------|--|---|------------------|
| - | 79077 | (MAC OR (media ADJ1 access ADJ1 control\$1) OR manufactur\$4 OR (layer NEAR1 ("2" OR two)) OR OUI OR ISR OR Ethernet OR switch\$3 OR intra\$1switch\$3) WITH address\$3 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/02/25 08:28 |
| - | 38332 | (MAC OR (media ADJ1 access ADJ1 control\$1) OR manufactur\$4 OR (layer NEAR1 ("2" OR two)) OR OUI OR ISR OR Ethernet OR hardware OR (link ADJ1 layer\$1) OR switch\$3 OR intra\$1switch\$3) NEAR3 address\$3 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/02/25 09:19 |
| - | 395 | ((MAC OR (media ADJ1 access ADJ1 control\$1) OR manufactur\$4 OR (layer NEAR1 ("2" OR two)) OR OUI OR ISR OR Ethernet OR hardware OR (link ADJ1 layer\$1) OR switch\$3 OR intra\$1switch\$3) NEAR3 address\$3) AND ((address\$3 NEAR2 (assign\$3 OR allocat\$4 OR reserv\$7))) SAME ((private\$1 OR local\$4 OR internal\$1 OR inside\$1 OR inward\$1 OR interior\$1 OR public\$1 OR outside\$1 OR outward\$1 OR inter\$1switch OR intra\$1switch) NEAR2 address\$3) AND (370/\$6.ccls. OR 709/\$6.ccls.) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/02/25 09:19 |
| - | 2402 | ((address\$3 NEAR2 (assign\$3 OR allocat\$4 OR reserv\$7))) SAME ((MAC OR (media ADJ1 access ADJ1 control\$1) OR manufactur\$4 OR (layer NEAR1 ("2" OR two)) OR OUI OR ISR OR Ethernet OR hardware OR (link ADJ1 layer\$1) OR switch\$3 OR intra\$1switch\$3) NEAR3 address\$3) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/02/25 09:29 |
| - | 1105 | ((address\$3 NEAR2 (assign\$3 OR allocat\$4 OR reserv\$7))) SAME ((MAC OR (media ADJ1 access ADJ1 control\$1) OR manufactur\$4 OR (layer NEAR1 ("2" OR two)) OR OUI OR ISR OR Ethernet OR hardware OR (link ADJ1 layer\$1) OR switch\$3 OR intra\$1switch\$3) NEAR3 address\$3) AND (370/\$6.ccls. OR 709/\$6.ccls.) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/02/25 09:32 |
| - | 537 | ((address\$3 NEAR2 (assign\$3 OR allocat\$4 OR reserv\$7))) SAME ((MAC OR (media ADJ1 access ADJ1 control\$1) OR manufactur\$4 OR (layer NEAR1 ("2" OR two)) OR OUI OR ISR OR Ethernet OR hardware OR (link ADJ1 layer\$1) OR switch\$3 OR intra\$1switch\$3) NEAR3 address\$3) AND ((address\$3 WITH filter\$3) OR bridg\$3) AND (370/\$6.ccls. OR 709/\$6.ccls.) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/02/25 10:23 |
| - | 286 | ((address\$3 NEAR2 (assign\$3 OR allocat\$4 OR reserv\$7))) SAME ((MAC OR (media ADJ1 access ADJ1 control\$1) OR manufactur\$4 OR (layer NEAR1 ("2" OR two)) OR OUI OR ISR OR Ethernet OR hardware OR (link ADJ1 layer\$1) OR switch\$3 OR intra\$1switch\$3) NEAR3 address\$3) AND ((MAC OR (media ADJ1 access ADJ1 control\$1) OR manufactur\$4 OR (layer NEAR1 ("2" OR two)) OR OUI OR ISR OR Ethernet OR hardware OR (link ADJ1 layer\$1) OR switch\$3 OR intra\$1switch\$3) NEAR3 address\$3) WITH (filter\$3 OR bridg\$3 OR captur\$3 OR learn\$3)) AND (370/\$6.ccls. OR 709/\$6.ccls.) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/02/25 09:58 |
| - | 318 | ((MAC OR (media ADJ1 access ADJ1 control\$1) OR manufactur\$4 OR (layer NEAR1 ("2" OR two)) OR OUI OR ISR OR Ethernet OR hardware OR (link ADJ1 layer\$1) OR switch\$3 OR intra\$1switch\$3) NEAR3 address\$3) SAME ((conserv\$6 OR preserv\$6 OR sav\$3) NEAR3 (address\$3 OR MAC\$1)) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/02/25 10:12 |

| | | | | |
|---|-------|---|---|------------------|
| - | 243 | ((conserv\$6 OR preserv\$6) NEAR3 (address\$3 OR MAC\$1)) AND (370/\$6.ccls. OR 709/\$6.ccls.) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/02/25 10:13 |
| - | 511 | ((address\$3 NEAR2 (assign\$3 OR allocat\$4 OR reserv\$7))) SAME ((MAC OR (media ADJ1 access ADJ1 control\$1) OR manufactur\$4 OR (layer NEAR1 ("2" OR two)) OR OUI OR ISR OR Ethernet OR hardware OR (link ADJ1 layer\$1) OR switch\$3 OR intra\$1switch\$3) NEAR3 address\$3) AND ((unique\$3 OR exclusive\$4) NEAR2 address\$3) AND (370/\$6.ccls. OR 709/\$6.ccls.) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/02/25 10:25 |
| - | 812 | ((re\$1use\$1 OR re\$1using) NEAR3 (address\$3 OR MAC\$1)) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/02/25 12:04 |
| - | 293 | ((re\$1use\$1 OR re\$1using) NEAR3 (address\$3 OR MAC\$1)) AND (370/\$6.ccls. OR 709/\$6.ccls.) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/02/25 12:05 |
| - | 1184 | ((re\$1use\$1 OR re\$1using OR recycl\$3) NEAR3 (address\$3 OR MAC\$1)) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/02/25 12:05 |
| - | 342 | ((re\$1use\$1 OR re\$1using OR recycl\$3) NEAR3 (address\$3 OR MAC\$1)) AND (370/\$6.ccls. OR 709/\$6.ccls.) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/02/25 12:06 |
| - | ✓ 6 | (US-6381638-\$ or US-6256314-\$ or US-5790541-\$ or US-6101552-\$ or US-6128298-\$ or US-5926626-\$).did. | USPAT | 2004/07/07 13:17 |
| - | 253 | ((media ADJ1 access ADJ1 control\$1) OR MAC OR address\$3) NEAR2 conserv\$7 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/07/07 14:14 |
| - | ✓ 24 | ((media ADJ1 access ADJ1 control\$1) OR MAC OR address\$3) WITH (intra\$1switch\$3 OR (intra ADJ1 switch\$3)) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/07/07 13:37 |
| - | 13368 | ((media ADJ1 access ADJ1 control\$1) OR MAC OR address\$3) NEAR2 internal\$4 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/07/07 13:38 |
| - | 1594 | ((media ADJ1 access ADJ1 control\$1) OR MAC OR address\$3) NEAR2 internal\$4) AND (709/\$6.ccls. OR 370/\$6.ccls.) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/07/07 13:38 |
| - | 1993 | ((media ADJ1 access ADJ1 control\$1) OR MAC OR address\$3) NEAR2 internal\$4) SAME (switch\$3 OR fabric\$1 OR back\$1plane\$1 OR (back ADJ1 plane\$1)) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/07/07 13:39 |
| - | 1083 | ((media ADJ1 access ADJ1 control\$1) OR MAC OR address\$3) NEAR2 internal\$4) WITH (switch\$3 OR fabric\$1 OR back\$1plane\$1 OR (back ADJ1 plane\$1)) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/07/07 13:39 |
| - | ✓ 90 | ((media ADJ1 access ADJ1 control\$1) OR MAC OR address\$3) NEAR2 internal\$4) SAME (fabric\$1 OR back\$1plane\$1 OR (back ADJ1 plane\$1)) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/07/07 17:30 |

| | | | | |
|---|---------|---|---|------------------|
| - | 469 | (organizational\$3 ADJ1 unique\$3 ADJ1 identif\$4) OR OUI\$2 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/07/07 13:47 |
| - | ✓ 65 | ((organizational\$3 ADJ1 unique\$3 ADJ1 identif\$4) OR OUI\$2) AND (370/\$6.ccls OR 709/\$6.ccls. OR 455/\$6.ccls. OR 379/\$6.ccls. OR 340/\$6.ccls. OR 710/\$6.ccls.) | USPÄT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/07/07 15:12 |
| - | 511 | (fram\$3 ADJ1 forward\$3) WITH (port\$1 OR interface\$1) | USPÄT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/07/07 13:54 |
| - | ✓ 221 | ((fram\$3 ADJ1 forward\$3) WITH (port\$1 OR interface\$1)) SAME address\$3 | USPÄT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/07/07 13:55 |
| - | ✓ 101 | ((media ADJ1 access ADJ1 control\$1) OR MAC OR (layer\$1 ADJ1 ("2" OR two))) NEAR3 (loop\$4back\$3 OR (loop\$ ADJ1 back\$1)) | USPÄT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/07/07 14:16 |
| - | 14821 | ((media ADJ1 access ADJ1 control\$1) OR MAC OR address\$3) WITH (fabric\$1 OR back\$1plane\$1 OR (back ADJ1 plane\$1) OR inter\$1connect\$3) | USPÄT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/07/08 08:05 |
| - | 658 | ((media ADJ1 access ADJ1 control\$1) OR MAC) WITH (fabric\$1 OR back\$1plane\$1 OR (back ADJ1 plane\$1) OR inter\$1connect\$3) | USPÄT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/07/07 15:08 |
| - | * ✓ 418 | ((media ADJ1 access ADJ1 control\$1) OR MAC) WITH (fabric\$1 OR back\$1plane\$1 OR (back ADJ1 plane\$1) OR inter\$1connect\$3) AND (370/\$6.ccls. OR 709/\$6.ccls.) | USPÄT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/07/08 08:13 |
| - | ✓ 15 | ("5394402" "5740171" "5796732" "5852607" "5872783" "5917820" "6035105" "6128296" "6147993" "6175571" "6208649" "6219699" "6310882" "6430188" "6553000").PN. | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/07/07 14:31 |
| - | 1643 | ((media ADJ1 access ADJ1 control\$1) OR MAC) WITH bus\$2 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/07/07 15:09 |
| - | 2043 | ((media ADJ1 access ADJ1 control\$1) OR MAC OR (layer ADJ1 (two OR "2"))) NEAR3 (local\$4 OR internal\$4 OR privat\$4) | USPÄT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/07/07 15:24 |
| - | 856 | ((media ADJ1 access ADJ1 control\$1) OR MAC OR ((layer ADJ1 (two OR "2")) NEAR2 address\$3)) NEAR3 (local\$4 OR internal\$4 OR privat\$4) | USPÄT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/07/07 15:12 |
| - | 549 | ((media ADJ1 access ADJ1 control\$1) OR MAC OR ((layer ADJ1 (two OR "2")) NEAR2 address\$3)) NEAR2 (local\$4 OR internal\$4 OR privat\$4) | USPÄT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/07/07 15:12 |
| - | ✓ 193 | (((media ADJ1 access ADJ1 control\$1) OR MAC OR ((layer ADJ1 (two OR "2")) NEAR2 address\$3)) NEAR2 (local\$4 OR internal\$4 OR privat\$4)) AND (370/\$6.ccls OR 709/\$6.ccls. OR 455/\$6.ccls. OR 379/\$6.ccls. OR 340/\$6.ccls. OR 710/\$6.ccls.) | USPÄT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/07/08 10:00 |

| | | | | |
|---|-------|--|---|------------------|
| - | ✓ 543 | ((media ADJ1 access ADJ1 control\$1) OR MAC) NEAR2 (local\$4 OR internal\$4 OR privat\$4) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB | 2004/07/08 08:13 |
| - | 586 | internal ADJ2 header\$1 | USPÄT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB | 2004/07/07 17:10 |
| - | ✓ 187 | (internal ADJ2 header\$1) AND (370/\$6.ccls. OR 709/\$6.ccls.) | USPÄT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB | 2004/07/07 17:31 |
| - | 2178 | header\$1 SAME (fabric\$1 OR back\$1plane\$1 OR (back ADJ1 plane\$1)) | USPÄT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB | 2004/07/07 17:30 |
| - | 578 | header\$1 SAME address\$3 SAME (fabric\$1 OR back\$1plane\$1 OR (back ADJ1 plane\$1)) | USPÄT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB | 2004/07/07 17:31 |
| - | 419 | (header\$1 WITH address\$3) SAME (fabric\$1 OR back\$1plane\$1 OR (back ADJ1 plane\$1)) | USPÄT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB | 2004/07/08 08:12 |
| - | ✓ 349 | ((header\$1 WITH address\$3) SAME (fabric\$1 OR back\$1plane\$1 OR (back ADJ1 plane\$1))) AND (370/\$6.ccls. OR 709/\$6.ccls.) | USPÄT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB | 2004/07/08 08:12 |
| - | ✓ 3 | ("5953335" "6021132" "6453360").PN. | USPÄT | 2004/07/07 17:38 |
| - | 1178 | 709/245.ccls. | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB | 2004/07/07 17:57 |
| - | ✓ 51 | 709/245.ccls. AND (fabric\$1 OR back\$1plane\$1 OR (back ADJ1 plane\$1)) | USPÄT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB | 2004/07/07 17:59 |
| - | ✓ 225 | 709/245.ccls. AND ((media ADJ1 access ADJ1 control\$1) OR MAC) | USPÄT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB | 2004/07/07 18:05 |
| - | ✓ 77 | 709/245.ccls. AND (internal\$3 NEAR2 (MAC OR address\$3)) | USPÄT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB | 2004/07/07 18:06 |
| - | ✓ 113 | 709/245.ccls. AND (privat\$4 NEAR2 address\$3) | USPÄT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB | 2004/07/07 18:07 |
| - | 3582 | ((media ADJ1 access ADJ1 control\$1) OR MAC) SAME (fabric\$1 OR back\$1plane\$1 OR (back ADJ1 plane\$1) OR bus\$2 OR cross\$1connect\$1 OR (cross ADJ1 connect\$1)) | USPÄT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB | 2004/07/08 09:58 |
| - | 1378 | ((media ADJ1 access ADJ1 control\$1) OR MAC) SAME (fabric\$1 OR back\$1plane\$1 OR (back ADJ1 plane\$1) OR bus\$2 OR cross\$1connect\$1 OR (cross ADJ1 connect\$1))) AND 370/\$6.ccls. | USPÄT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB | 2004/07/08 08:06 |

| | | | | | |
|---|--------------|------|---|---|------------------|
| - | | 1200 | ((media ADJ1 access ADJ1 control\$1) OR MAC) SAME (fabric\$1 OR back\$1plane\$1 OR (back ADJ1 plane\$1) OR bus\$2 OR cross\$1connect\$1 OR (cross ADJ1 connect\$1)) AND (((media ADJ1 access ADJ1 control\$1) OR MAC) NEAR2 address\$3) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/07/08 08:09 |
| - | ✓ | 638 | ((media ADJ1 access ADJ1 control\$1) OR MAC) WITH (fabric\$1 OR back\$1plane\$1 OR (back ADJ1 plane\$1) OR bus\$2 OR cross\$1connect\$1 OR (cross ADJ1 connect\$1)) AND (((media ADJ1 access ADJ1 control\$1) OR MAC) NEAR2 address\$3) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/07/08 08:09 |
| - | | 1315 | ((media ADJ1 access ADJ1 control\$1) OR MAC) SAME manufactur\$5 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/07/08 10:25 |
| - | ✓ | 714 | ((media ADJ1 access ADJ1 control\$1) OR MAC) WITH manufactur\$5 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/07/08 10:00 |
| - | ✓ | 201 | ((media ADJ1 access ADJ1 control\$1) OR MAC) WITH manufactur\$5) AND (370/\$6.ccls OR 709/\$6.ccls. OR 455/\$6.ccls. OR 379/\$6.ccls. OR 340/\$6.ccls. OR 710/\$6.ccls.) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/07/08 10:08 |
| - | ✓ | 223 | ((media ADJ1 access ADJ1 control\$1) OR MAC) AND (manufactur\$5 NEAR3 address\$3) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/07/08 10:26 |